

LINK TOWING

HITCH. HOOK. TOW.

LINK TOWING
27150 SW Kinsman Road
Wilsonville, Oregon 97070

LINK TOWING

HITCH. HOOK. TOW.

PRICES VALID SEPTEMBER 1ST - 30TH, 2009
WWW.LINKTOWING.COM • 1-866-961-5465



LINK#	MFG#	DESCRIPTION	WHSLE	SPECIAL
16-1000	SP180CSA	JR OIL CABINET		
16-1001	SP280HSA	DBL HELMET RACK		
16-1002	SP30CSA	30" CABINET w/SHELF		
16-1003	SP8SHA	8" STRAP HANGER		
16-1005	SP35SBA	SINGLE CORD HOLDER		
16-1006	SP1025DBA	DBL BRACKET/HOLDER		
16-1007	SP28TBTA	28" ALUM TOOL BOX TRAY		
16-1008	SP50CKA	50' ALUM CHANNEL KIT		
16-1009	SP2BRA	DOUBLE PROPANE HOLDER		
16-1010	SP45HFTA	45" FOLD ALUM TABLE w/8 BUTTON		
16-1011	SP36CCA	36" ALUM COMBO CABINET		
16-1012	SPJCA	JR OIL CABINET w/TRAY & BUTTON		
16-1014	SP18AST	18" STRAP TRACK		
16-1015	SP26AST	26" STRAP TRACK		
16-1018	SPWC	6.5" CH STEEL WHEEL CHOCK w/HD		
16-1019	SPWM	6.5" BLK PDWR COAT WHEEL CHOCK		
16-1023	47556-11	5000# DBL STUD RING		
16-1024	49363-10-72	72" TAPERED A/C FLOOR TRACK		
16-1025	SPPGF	PRO END CAP FOR FLOOR TRACK		
16-1028	SP24HR	24" TUBULAR HELMET SHELF		
16-1029	SP48HR	48" TUBULAR HELMET SHELF		
16-1030	SP25SHA	17" STRAP HANGER		
16-1031	SPSCBA	CORD HANGER		
16-1032	SP2CH	TWO-CUP HOLDER		
16-1033	SPPTH	PAPER TOWEL HOLDER		
16-1035	SP30ATC	30" TOOL CABINET w/FOLD TRAY		



BLOWOUT PRICING
CLOSE OUT • WHILE SUPPLY LASTS

TOUGH • DURABLE • FUNCTIONAL

COME MEET US AT THE 2009 NATDA TRADESHOW & CONVENTION, BOOTH # 345.

SEPTEMBER 12-13, 2009
LOUISVILLE, KENTUCKY

COME AND JOIN THE FUN!

ENTER TO WIN ONE OF THESE GREAT PRIZES WHILE YOU'RE THERE

\$100 Gift Card

CUSTOM FIT HITCHES

ENTER TO WIN A FISH FINDER

We're not looking for Waldo - We're looking for animals! There are 3 different symbols to be looking for. Look closely... they're there...in the ads. Write down all three character names below and fax back to us at 503-570-5433.

YOU WILL BE ENTERED INTO A DRAWING TO WIN A FISH FINDER!

Fax in your entry by Sept. 30, 2009. Drawing will be held Oct. 5, 2009

Participant's name: _____

Dealer Name: _____

Account #: _____

Phone #: _____

City/State: _____

What are the animal names?

1. _____

2. _____

3. _____

POLLAK CONNECTORS



LINK#	MFG#	DESCRIPTION
19-0901	12-706	7-WAY CONNECTOR PLUG
19-0902	12-707	7-WAY CONNECTOR SOCKET
19-1009	12-716	7-SPADE TO 4-WAY ADAPTER BULK
19-1001	12-718V	7-WAY TO 5-WAY ADAPTER PKG
19-1008	12-719V	7-WAY TO 6-WAY ADAPTER PKG
19-1017	12-729V	7-WAY TO 6-WAY ADAPTER PKG

WHSLE SPECIAL

Pollak

A Stoneridge Company

BATTERY TENDERS

LINK#	MFG#	DESCRIPTION	WHSLE	SPECIAL
19-0270	021-0128	BATTERY TENDER PLUS		
19-0273	022-0157	BATTERY TENDER PWR TENDER PLUS		
19-0276	022-0165-DL-WH	2-BANK BATTERY TENDER		
19-0283	022-0148-DL-WH	4-BANK BATTERY TENDER		2
19-0295	022-0150	BATTERY TENDER WATERPROOF		

These are not your old fashioned tow dollies!

Demco KARKADDY™ SS

- Hydraulic surge brake system provides safe, controlled stopping.
- A durable galvanized finish with custom chrome wheels and radial tires make this tow dolly one you'll be proud to use for years to come.
- Will accommodate front wheel drive standard or automatic transmission vehicles.
- Less than 100 lbs. tongue weight, when loaded, for improved ride and handling of towed vehicles. Ideal for towing by mini motorhomes.
- Tilt-bed frame provides fast, easy loading. Positive locking mechanism on tilt-bed does not require a separate loose pin.
- Attached "SURE-GRIP" loading ramps provide safe loading traction.
- Auto-steer cornering makes turns problem-free.
- Lower center of gravity for towed vehicle improves stability.
- Dual safety chains for towed vehicle are standard.
- Wheel jack to help move the dolly when not loaded.
- LED lights give more illumination and longer life.

Ramps fold up. Hitch folds back.

Demco Kar Kaddys will tow almost any vehicle, large or small, without difficult, time consuming adjustments to axles or ramps. This means no bolts to tighten and no heavy components to reposition.

LINK#	MFG#	DESCRIPTION	WHSLE	SPECIAL
14-2854	KK460SS	DEMCO KAR KADDY SS		
14-2848	KK370SB	DEMCO KAR KADDY 3		
14-2915	TI210	DEMCO TOW-IT 2		
14-2916	TI210SB	DEMCO TOW-IT 2 w/SURGE		

Demco KARKADDY™ 3

- Auto-steer cornering for problem-free turns.
- Kar Kaddy is standard with surge brakes.
- Ideal for RV owners who need an economical, dependable auto transport.
- Will accommodate front wheel drive standard or automatic transmission vehicles.
- Less than 100 lbs. tongue weight, when loaded, for improved ride and handling of towed vehicles. Ideal for towing by mini motorhomes.
- Tilt-bed frame for fast, easy loading. Positive locking mechanism on tilt-bed does not require a separate loose pin.
- Attached loading ramps. No ramps to lift or store.
- Lower center of gravity for towed vehicle improves stability.
- Dual safety chains for towed vehicle are standard.
- Powder coat paint and galvanized finish.

Demco Tow-IT™ 2

- Tow-It is available with surge brakes.
- Ideal for RV owners who need an economical, dependable auto transport.
- Will accommodate front wheel drive standard or automatic transmission vehicles.
- Less than 100 lbs. tongue weight, when loaded, for improved ride and handling of towed vehicles. Ideal for towing by mini motorhomes.
- Tilt-bed frame for fast, easy loading.
- Attached loading ramps. No ramps to lift or store.
- Solid axle, swivel platform steering for problem-free turns.
- Lower center of gravity for towed vehicle improves stability.
- Dual safety chains for towed vehicle are standard.
- Powder coat paint and galvanized finish.

LINK#	MFG#	DESCRIPTION	WHSLE	SPECIAL
15-0152	80236	1500# POWER JACK		
15-0162	80511	2500# POWER JACK		
15-0150	80515	DELUXE 2500# POWER JACK		
15-0214	80530	H.D. 3500# POWER JACK		

WHSLE SPECIAL



LINK#	MFG#	DESCRIPTION	WHSLE	SPECIAL
15-1273	8601	FIRESTONE WORK-RITE KIT		
15-1282	8602	FIRESTONE WORK-RITE KIT		
15-1288	8603	FIRESTONE WORK-RITE KIT		
15-1313	8604	FIRESTONE WORK-RITE KIT		
15-1319	8605	FIRESTONE WORK-RITE KIT		
15-1342	8606	FIRESTONE WORK-RITE KIT		
15-1348	8607	FIRESTONE WORK-RITE KIT		
15-1351	8608	FIRESTONE WORK-RITE KIT		
15-1361	8609	FIRESTONE WORK-RITE KIT		
15-1368	8610	FIRESTONE WORK-RITE KIT		
15-1370	8611	FIRESTONE WORK-RITE KIT		
15-1373	8612	FIRESTONE WORK-RITE KIT		
15-1380	8613	FIRESTONE WORK-RITE KIT		
15-1384	8614	FIRESTONE WORK-RITE KIT		
15-1386	8615	FIRESTONE WORK-RITE KIT		
15-1393	8617	FIRESTONE WORK-RITE KIT		
15-1397	8618	FIRESTONE WORK-RITE KIT		
15-1401	8619	FIRESTONE WORK-RITE KIT		
15-1404	8620	FIRESTONE WORK-RITE KIT		
15-1406	8621	FIRESTONE WORK-RITE KIT		
15-1407	8622	FIRESTONE WORK-RITE KIT		
15-1409	8623	FIRESTONE WORK-RITE KIT		
15-1410	8624	FIRESTONE WORK-RITE KIT		
15-1411	8625	FIRESTONE WORK-RITE KIT		
15-1413	8626	FIRESTONE WORK-RITE KIT		
15-1414	8627	FIRESTONE WORK-RITE KIT		

WHSLE SPECIAL



COMING SOON!
The progressive load-deflection characteristics of the new Work-Rite kit will smooth your ride when your vehicle is fully loaded, and won't compromise your ride when it's not.

Go on to LINK CENTRAL at www.linktowing.com for a complete fit list on the Work-Rite Kits

These load assist springs are injection-molded, and are made of microcellular urethane. They do not use air like the Ride-Rite family of springs so there is no air pressure to monitor.

Everything is included for a quick, easy installation: Load assist springs, brackets, all necessary mounting hardware and comprehensive instructions.



The Hand-E-Blok Solution:

- 100% Recycled Material
- Economical
- Supports up to 15,000 lbs.
- Dependably Safe
- Sturdy, Versatile Design
- Shaft, Plate, and Wheel tongue jack support



©Copyright 2004 Hand-E-Block, LLC
15-0231 HB-200401 HAND-E-BLOK



SERIES 92 TAIL LIGHT

Includes automotive bulb sockets and 16 gauge supply and ground wiring.
Stop/Tail/Turn
Overall Light Measurements:
8-9/16" x 4-9/16" x 2-1/8"
License light & bracket

LINK# 18-0160
MFG# 31-92-003
TAIL LIGHT w/LICENSE RED WHITE



WallaceForge



LINK#	MFG#	DESCRIPTION	WHSLE	SPECIAL
16-0562	2383156	1000lb RECESSED LASHING RING Z		
16-0563	2383155	1200lb RECESSED LASHING RING Z		
16-0564	2383150	3500lb RECESSED LASHING RING Z		
16-0565	2383154	6000lb SQ RECESSED LASHING RING		
16-0566	2383153	6000lb RND RECESSED LASHING		
16-0567	2330224	ROPE RING ZINC		
16-0568	2330225	TRIANGLE D-RING ZINC		
16-0569	2327219	1/2x2-1/4" STD D-RING- W/B BKT		
16-0570	2328220	5/8x3" STANDARD D-RING w/A-BKT		
16-0571	2022167	5/8x2-3/4" STANDARD D-RING		
16-0572	2383154B	BACKING PLATE		
14-0180	CHRM280	8x2 BALL MOUNT CHROME		
14-0181	CHRM210	10x2 BALL MOUNT CHROME		
14-0182	CHRM409	9X4 BALL MOUNT CHROME		
14-0183	CHRM410	11x4 BALL MOUNT CHROME		

WHILE SUPPLY LASTS

WHSLE SPECIAL



Valley

WEIGHT DISTRIBUTION HITCHES



LINK#	MFG#	DESCRIPTION	WHSLE	SPECIAL
14-0257	70210	600# ROUND BAR WD HITCH		
14-0258	70220	800# ROUND BAR WD HITCH		
14-0261	70230	1200# ROUND BAR WD HITCH		

BALL MOUNTS



LINK#	MFG#	DESCRIPTION	WHSLE	SPECIAL
14-0288	75100	BALL MOUNT 1" RISE, 2" DROP		
14-0289	75150	BALL MOUNT 6-3/4" RISE, 8" DROP		
14-0290	75900	BALL MOUNT 1" RISE, 2" DROP		
14-0291	75920	BALL MOUNT 3" RISE, 4" DROP 8" L		
14-0284	75930	BALL MOUNT 3" RISE, 4" DROP 10" L		
14-0292	75940	BALL MOUNT 3-3/4" RISE, 5" DROP		
14-0285	76970	BALL MOUNT FORGED 2" DROP		
14-0286	76980	BALL MOUNT FORGED 4" DROP		
14-0287	76990	BALL MOUNT FORGED 6" DROP		
14-0293	76410	BALL MOUNT FORGED, 8" DROP 9" L		

QUALITY TOWING PRODUCTS



LINK#	MFG#	DESCRIPTION	WHSLE	SPECIAL
16-0535	641201	2" x 12' E-TRACK STRAP		
16-0536	512720	2" x 27' RATCHET STRAP-FLAT HOOK		
16-0537	512738	2" x 27' RATCHET STRAP-KAPTIVE		
16-0538	512784	2" x 27' RATCHET STRAP-WIRE HOOK		
16-0540	43002	10' HORIZ E-TRACK PAINTED		
16-0541	7190	600lb PAN FITTING w/ D-RING		
16-0542	1845	E-TRACK WOOD BEAM SOCKET		
16-0543	660001	6" ROPE TIE-OFF w/ FE8306-1		
16-0544	660002	6" ROPE TIE-OFF w/ 43020-1		
16-0545	FE8029-1	E-TRACK SPRING LOADED FITTING		
16-0546	FE8264-1	1" ROUND RING E-TRACK FITTING		
16-0547	FE8301-1	2" D-RING E-TRACK FITTING		
16-0548	FE8306-1	E-TRACK SPRING LOADED FITTING		

WHILE SUPPLY LASTS



LINK#	MFG#	DESCRIPTION	WHSLE	SPECIAL
01-3430	46001	SFS HORSE TRL CVR 8'-10'		
01-3431	46002	SFS HORSE TRL CVR 10'-12'		
01-3432	46003	SFS HORSE TRL CVR 12'-14'		
01-3433	46004	SFS HORSE TRL CVR 14'-16'		
01-3434	46005	SFS HORSE TRL CVR 16'-18'		
*01-3438	46011	SFS HORSE TRL CVR UP TO 24'6"		
*01-3439	46012	SFS HORSE TRL CVR 24'7"-28'6"		

* GOOSENECK HORSE TRAILERS



Horse Trailer Covers

ADCO
SINCE 1955

PROTECT YOUR INVESTMENT!